ELSEVIER

www.elsevier.nl/locate/jorganchem

Journal of Organometallic Chemistry 616 (2000) 169

Journal of Organometallic Chemistry

# Author Index of Volume 616

Abdul Malik, K.M., 157
Abdul Mottalib, M., 157
Abe, H., 74
Amoroso, A.J., 44

Bae, B.-J., 128
Barnes, N.A., 96
Bencze, É., 1
Bonnet, M.C., 37
Breuzard, J.A.J., 37
Brisdon, A.K., 96
Butler, I.S., 1

Choi, N.-S., 67
Cook, L.M., 112
Coville, N.J., 112
Cross, W.I., 96

Dahlenburg, L., 19
de Koning, C.B., 112
Dolgushin, F.M., 106

Escarpa Gaede, P., 29

Falomir, E., 80
Fay, J.G., 96
Fink, M.J., 10

Gilson, D.F.R., 1
Gladysz, J.A., 44, 54
Greenall, J.A., 96
Grimmer, N.E., 112
Guo, D.-S., 140

Hampel, F., 54
Hanaoka, Y., 89
Herbst, K., 19
Hu, Q.-M., 140

Jaeger, M., 44
Jiao, H., 54

Kabir, S.E., 157
Kerzina, Z.A., 106
Kim, B., 128
Kim, H.-J., 67
Kojima, Y., 149
Kreindlin, A.Z., 106
Kurosawa, H., 135
Kusama, Y., 74

Lafleur, D., 1
Le Bras, J., 44, 54
Lee, S.W., 67
Lemaire, M., 37
Llusar, R., 80

Ma, J.-F., 149
Mague, J.T., 10
Mata, J.A., 80
Meyer, W.E., 44, 54
Mink, J., 1
Miyaki, Y., 135
Molla, E., 157

Ogoshi, S., 135
Okamoto, M., 74
Onishi, T., 135
Ono, Y., 74

Pápai, I., 1
Park, J.E., 128
Park, J.T., 128
Peris, E., 80
Petrovskii, P.V., 106
Pritchard, R.G., 96

Reid, S.M., 10
Richards, R.L., 165
Rybinskaya, M.I., 106

Sherrington, J., 96
Smith, J.M., 112
Song, L.-C., 140
Sun, J., 140
Suzuki, E., 74

Tada, M., 89
Tommasino, M.L., 37

Wong, W.-T., 44

Yamamoto, Y., 149
Yanovsky, A.I., 106

Zahl, A., 19

PII: S0022-328X(00)00878-0

ELSEVIER

www.elsevier.nl/locate/jorganchem

Journal of Organometallic Chemistry 616 (2000) 171–174

Journal of Organometallic Chemistry

# Subject Index of Volume 616

Arene ruthenium complexes
Co-catalyst dependent cycloisomerization or ring closing metathesis of α,ω-dienes catalyzed by arene ruthenium complex with side-arm alcohol, 135
Aromatic phosphines
Reactions of palladium complex of *N,N*-dimethylbenzylamine with aromatic phosphines bearing the methoxy groups at the 2,6-positions, 149
Asymmetric catalysis
Chiral rhodium(I)–(polyether-phosphite) complexes for the enantioselective hydroformylation of styrene: homogeneous and thermoregulated phase-transfer catalysis, 37
Azides
Structural characterization of a dimeric dimethylindium azide and its use as a single-source precursor for InN thin films, 128

'Barf' anion
Synthesis, crystal structure, and reactions of the 17-valence-electron rhenium methyl complex $[(\eta^5\text{-}C_5Me_5)Re(NO)(P(4\text{-}C_6H_4CH_3)_3)(CH_3)]^+$ $B(3,5\text{-}C_6H_3(CF_3)_2)_4^-$: experimental and computational bonding comparisons with 18-electron methyl and methylidene complexes, 54

Carbocations
Synthesis, crystal and molecular structure of $[\{C_5Me_5Fe\text{-}C_5Me_4CH_2\}^+B\{C_6H_3(CF_3)_2\}_4^-]$, the first example of a structurally characterized primary ferrocenylcarbocation, 106
Chemical vapour deposition
Structural characterization of a dimeric dimethylindium azide and its use as a single-source precursor for InN thin films, 128
Chlorodifluorovinyl
CFC replacement HCFC-133a ($CF_3CH_2Cl$) as a convenient precursor for the synthesis of chlorodifluorovinyl-metal derivatives of main group and transition metal elements: the first X-ray structural characterisation of chlorodifluorovinyl-containing organometallic complexes, 96
Cobalt
Syntheses, spectroscopic characterization and electrochemical properties of organometallic crown ethers containing tetrahedral $W_2Fe(\mu_3\text{-}S)$ cluster cores $[W_2Fe(\mu_3\text{-}S)(CO)_7][\eta^5\text{-}C_5H_4CH_2(CH_2OCH_2)_nCH_2C_5H_4\text{-}\eta^5]$ $(n=1\text{–}3)$. Crystal structures of $[W_2Fe(\mu_3\text{-}S)(CO)_7][\eta^5\text{-}C_5H_4CH_2(CH_2\text{-}OCH_2)_nCH_2C_5H_4\text{-}\eta^5]$ $(n=2,3)$, 140
Copper catalyst
Direct synthesis of methyldimethoxysilane from metallic silicon and methanol using copper(I) chloride catalyst, 74
Crown ether
Syntheses, spectroscopic characterization and electrochemical properties of organometallic crown ethers containing tetrahedral $W_2Fe(\mu_3\text{-}S)$ cluster cores $[W_2Fe(\mu_3\text{-}S)(CO)_7][\eta^5\text{-}C_5H_4CH_2(CH_2OCH_2)_nCH_2C_5H_4\text{-}\eta^5]$ $(n=1\text{–}3)$. Crystal structures of $[W_2Fe(\mu_3\text{-}S)(CO)_7][\eta^5\text{-}C_5H_4CH_2(CH_2\text{-}OCH_2)_nCH_2C_5H_4\text{-}\eta^5]$ $(n=2,3)$, 140
Crystallographic data
Cyclotrimerization of phenylethynes to fulvene: reactivity of *cis*-dichloro(1,1′ - bis(diphenylphosphino)ferrocene)palladium-(II), 67
Crystal structures
Reactivity of $[(\mu\text{-}H)Os_3(CO)_8\{Ph_2PCH_2P(Ph)C_6H_4\}]$ with organic heterothiols; X-ray structures of $[H(\mu\text{-}H)Os_3(CO)_8(\eta^2\text{-}pyS)\{Ph_2PCH_2P(Ph)C_6H_4\}]$ and $[Os_3(CO)_8(\mu\text{-}\eta^2\text{-}pyS)\text{-}\{Ph_2PCH_2P(Ph)C_6H_4\}]$, 157
Syntheses, spectroscopic characterization and electrochemical properties of organometallic crown ethers containing tetrahedral $W_2Fe(\mu_3\text{-}S)$ cluster cores $[W_2Fe(\mu_3\text{-}S)(CO)_7][\eta^5\text{-}C_5H_4CH_2(CH_2OCH_2)_nCH_2C_5H_4\text{-}\eta^5]$ $(n=1\text{–}3)$. Crystal structures of $[W_2Fe(\mu_3\text{-}S)(CO)_7][\eta^5\text{-}C_5H_4CH_2(CH_2\text{-}OCH_2)_nCH_2C_5H_4\text{-}\eta^5]$ $(n=2,3)$, 140
Synthesis, crystal and molecular structure of $[\{C_5Me_5Fe\text{-}C_5Me_4CH_2\}^+B\{C_6H_3(CF_3)_2\}_4^-]$, the first example of a structurally characterized primary ferrocenylcarbocation, 106
Cyclic voltammetry
Synthesis and oxidation of chiral rhenium phosphine methyl complexes of the formula $(\eta^5\text{-}C_5Me_5)Re(NO)(PR_3)(CH_3)$: in search of radical cations with enhanced kinetic stabilities, 44
Cycloisomerization
Co-catalyst dependent cycloisomerization or ring closing metathesis of α,ω-dienes catalyzed by arene ruthenium complex with side-arm alcohol, 135
Cyclotrimerization of phenylethyne
Cyclotrimerization of phenylethynes to fulvene: reactivity of *cis*-dichloro(1,1′ - bis(diphenylphosphino)ferrocene)palladium-(II), 67

Density functional calculation
Synthesis, crystal structure, and reactions of the 17-valence-electron rhenium methyl complex $[(\eta^5\text{-}C_5Me_5)Re(NO)(P(4\text{-}C_6H_4CH_3)_3)(CH_3)]^+$ $B(3,5\text{-}C_6H_3(CF_3)_2)_4^-$: experimental and computational bonding comparisons with 18-electron methyl and methylidene complexes, 54
Density functional theory
Analysis of the vibrational spectra, force fields, and molecular structures of pentacarbonyl(methyl)manganese(I) and pentacarbonyl(methyl)rhenium(I), 1
Dibenzylideneacetone
Synthetic, structural, and dynamic NMR studies of (bisphosphine)palladium(0) complexes of dibenzylideneacetone, 10
Direct synthesis
Direct synthesis of methyldimethoxysilane from metallic silicon and methanol using copper(I) chloride catalyst, 74

Electrochemistry
Preparation, properties and coordination of new conjugated ferrocenyl-based ligands with an end-capped nitrile, 80

PII: S0022-328X(00)00879-2

Enyne
The reaction of triphenylstannylcobaloxime with enynes under photochemical and thermal conditions, 89
ESR
Synthesis and oxidation of chiral rhenium phosphine methyl complexes of the formula ($\eta^5$-$C_5Me_5$)Re(NO)($PR_3$)($CH_3$): in search of radical cations with enhanced kinetic stabilities, 44

Ferrocenes
Preparation, properties and coordination of new conjugated ferrocenyl-based ligands with an end-capped nitrile, 80
Syntheses and crystal structures of ferrocene substituted indenyl complexes, 29
FTIR
Analysis of the vibrational spectra, force fields, and molecular structures of pentacarbonyl(methyl)manganese(I) and pentacarbonyl(methyl)rhenium(I), 1
FT-Raman spectroscopy
Analysis of the vibrational spectra, force fields, and molecular structures of pentacarbonyl(methyl)manganese(I) and pentacarbonyl(methyl)rhenium(I), 1

HCFC-133a
CFC replacement HCFC-133a ($CF_3CH_2Cl$) as a convenient precursor for the synthesis of chlorodifluorovinyl-metal derivatives of main group and transition metal elements: the first X-ray structural characterisation of chlorodifluorovinyl-containing organometallic complexes, 96
Heterobimetallic complexes
Preparation, properties and coordination of new conjugated ferrocenyl-based ligands with an end-capped nitrile, 80
Syntheses and crystal structures of ferrocene substituted indenyl complexes, 29
Hydrogenation
Funktionelle Phosphane: Part X. Die homogene Hydrierung von Ketonen und α,β-ungesättigten Carbonylverbindungen mit 2-(diphenylpho = sphanyl)anilido-Komplexen des Iridiums und Rhodiums als Katalysatoren. Molekülstrukturen von [Rh($PPh_3$)$_2$(2-$Ph_2PC_6H_4NH$-κ$N$,κ$P$)] und [Ir(CO)($PPh_3$)(2-$Ph_2PC_6H_4NH$-κ$N$,κ$P$)], 19

Indenes
Syntheses and crystal structures of ferrocene substituted indenyl complexes, 29
Indenyl
Zirconium bis-indenyl compounds. Synthesis and X-ray crystallography study of 1- and 2-substituted bis(R-indenyl)zirconium dichloride metallocenes, 112
Indium
Structural characterization of a dimeric dimethylindium azide and its use as a single-source precursor for InN thin films, 128
Indium nitride
Structural characterization of a dimeric dimethylindium azide and its use as a single-source precursor for InN thin films, 128
Intramolecular exchange
Synthetic, structural, and dynamic NMR studies of (bisphosphine)palladium(0) complexes of dibenzylideneacetone, 10
Iridium
Funktionelle Phosphane: Part X. Die homogene Hydrierung von Ketonen und α,β-ungesättigten Carbonylverbindungen mit 2-(diphenylpho = sphanyl)anilido-Komplexen des Iridiums und Rhodiums als Katalysatoren. Molekülstrukturen von [Rh($PPh_3$)$_2$(2-$Ph_2PC_6H_4NH$-κ$N$,κ$P$)] und [Ir(CO)($PPh_3$)(2-$Ph_2PC_6H_4NH$-κ$N$,κ$P$)], 19
Iron
Syntheses, spectroscopic characterization and electrochemical properties of organometallic crown ethers containing tetrahedral $W_2Fe(\mu_3\text{-}S)$ cluster cores [$W_2Fe(\mu_3$-S)(CO)$_7$][$\eta^5$-$C_5H_4CH_2(CH_2OCH_2)_nCH_2C_5H_4$-$\eta^5$] ($n = 1$–3). Crystal structures of [$W_2Fe(\mu_3$-S)(CO)$_7$][$\eta^5$-$C_5H_4CH_2(CH_2O$-$CH_2)_nCH_2C_5H_4$-$\eta^5$] ($n = 2,3$), 140
Synthesis, crystal and molecular structure of [{$C_5Me_5FeC_5Me_4CH_2$}$^+$ B{$C_6H_3(CF_3)_2$}$_4^-$], the first example of a structurally characterized primary ferrocenylcarbocation, 106

Manganese and rhenium
Analysis of the vibrational spectra, force fields, and molecular structures of pentacarbonyl(methyl)manganese(I) and pentacarbonyl(methyl)rhenium(I), 1
Metal carbonyl
Preparation, properties and coordination of new conjugated ferrocenyl-based ligands with an end-capped nitrile, 80
Metal containing oligomers
Preparation, properties and coordination of new conjugated ferrocenyl-based ligands with an end-capped nitrile, 80
Metallic silicon
Direct synthesis of methyldimethoxysilane from metallic silicon and methanol using copper(I) chloride catalyst, 74
Metallocene complexes
Zirconium bis-indenyl compounds. Synthesis and X-ray crystallography study of 1- and 2-substituted bis(R-indenyl)zirconium dichloride metallocenes, 112
Metallonium cations
Synthesis, crystal and molecular structure of [{$C_5Me_5FeC_5Me_4CH_2$}$^+$ B{$C_6H_3(CF_3)_2$}$_4^-$], the first example of a structurally characterized primary ferrocenylcarbocation, 106
Methanol
Direct synthesis of methyldimethoxysilane from metallic silicon and methanol using copper(I) chloride catalyst, 74
Methylidene complex
Synthesis, crystal structure, and reactions of the 17-valence-electron rhenium methyl complex [($\eta^5$-$C_5Me_5$)Re(NO)(P(4-$C_6H_4CH_3)_3$)($CH_3$)]$^+$ B(3,5-$C_6H_3(CF_3)_2)_4^-$: experimental and computational bonding comparisons with 18-electron methyl and methylidene complexes, 54

NMR spectra
Synthesis, crystal and molecular structure of [{$C_5Me_5Fe$-$C_5Me_4CH_2$}$^+$ B{$C_6H_3(CF_3)_2$}$_4^-$], the first example of a structurally characterized primary ferrocenylcarbocation, 106
*N,N*-dimethylbenzylamine
Reactions of palladium complex of *N,N*-dimethylbenzylamine with aromatic phosphines bearing the methoxy groups at the 2,6-positions, 149
Normal coordinate analysis
Analysis of the vibrational spectra, force fields, and molecular structures of pentacarbonyl(methyl)manganese(I) and pentacarbonyl(methyl)rhenium(I), 1

Organosilane
Direct synthesis of methyldimethoxysilane from metallic silicon and methanol using copper(I) chloride catalyst, 74

Palladium
Synthetic, structural, and dynamic NMR studies of (bisphosphine)palladium(0) complexes of dibenzylideneacetone, 10

Palladium complexes
Reactions of palladium complex of *N,N*-dimethylbenzylamine with aromatic phosphines bearing the methoxy groups at the 2,6-positions, 149
Perfluorovinyl
CFC replacement HCFC-133a ($CF_3CH_2Cl$) as a convenient precursor for the synthesis of chlorodifluorovinyl-metal derivatives of main group and transition metal elements: the first X-ray structural characterisation of chlorodifluorovinyl-containing organometallic complexes, 96
*P,N* Ligands
Funktionelle Phosphane: Part X. Die homogene Hydrierung von Ketonen und α,β-ungesättigten Carbonylverbindungen mit 2-(diphenylpho = sphanyl)anilido-Komplexen des Iridiums und Rhodiums als Katalysatoren. Molekülstrukturen von [Rh(PPh$_3$)$_2$(2-Ph$_2$PC$_6$H$_4$NH-κ*N*,κ*P*)] und [Ir(CO)(PPh$_3$)(2-Ph$_2$PC$_6$H$_4$NH-κ*N*,κ*P*)], 19
Pyridine-2-thiol
Reactivity of [(μ-H)Os$_3$(CO)$_8${Ph$_2$PCH$_2$P(Ph)C$_6$H$_4$}] with organic heterothiols; X-ray structures of [H(μ-H)Os$_3$(CO)$_8$(η$^2$-pyS){Ph$_2$PCH$_2$P(Ph)C$_6$H$_4$}] and [Os$_3$(CO)$_8$(μ-η$^2$-pyS){Ph$_2$-PCH$_2$P(Ph)C$_6$H$_4$}], 157
Pyrimidine-2-thiol, Carbonyl
Reactivity of [(μ-H)Os$_3$(CO)$_8${Ph$_2$PCH$_2$P(Ph)C$_6$H$_4$}] with organic heterothiols; X-ray structures of [H(μ-H)Os$_3$(CO)$_8$(η$^2$-pyS){Ph$_2$PCH$_2$P(Ph)C$_6$H$_4$}] and [Os$_3$(CO)$_8$(μ-η$^2$-pyS){Ph$_2$-PCH$_2$P(Ph)C$_6$H$_4$}], 157

Radical cation
Synthesis, crystal structure, and reactions of the 17-valence-electron rhenium methyl complex [(η$^5$-C$_5$Me$_5$)Re(NO)(P(4-C$_6$H$_4$CH$_3$)$_3$)(CH$_3$)]$^{\bullet+}$ B(3,5-C$_6$H$_3$(CF$_3$)$_2$)$_4^-$: experimental and computational bonding comparisons with 18-electron methyl and methylidene complexes, 54
Radical cations
Synthesis and oxidation of chiral rhenium phosphine methyl complexes of the formula (η$^5$-C$_5$Me$_5$)Re(NO)(PR$_3$)(CH$_3$): in search of radical cations with enhanced kinetic stabilities, 44
RCM
Co-catalyst dependent cycloisomerization or ring closing metathesis of α,ω-dienes catalyzed by arene ruthenium complex with side-arm alcohol, 135
Rhenium
Synthesis and oxidation of chiral rhenium phosphine methyl complexes of the formula (η$^5$-C$_5$Me$_5$)Re(NO)(PR$_3$)(CH$_3$): in search of radical cations with enhanced kinetic stabilities, 44
Synthesis, crystal structure, and reactions of the 17-valence-electron rhenium methyl complex [(η$^5$-C$_5$Me$_5$)Re(NO)(P(4-C$_6$H$_4$CH$_3$)$_3$)(CH$_3$)]$^{\bullet+}$ B(3,5-C$_6$H$_3$(CF$_3$)$_2$)$_4^-$: experimental and computational bonding comparisons with 18-electron methyl and methylidene complexes, 54
Rhodium
Funktionelle Phosphane: Part X. Die homogene Hydrierung von Ketonen und α,β-ungesättigten Carbonylverbindungen mit 2-(diphenylpho = sphanyl)anilido-Komplexen des Iridiums und Rhodiums als Katalysatoren. Molekülstrukturen von [Rh(PPh$_3$)$_2$(2-Ph$_2$PC$_6$H$_4$NH-κ*N*,κ*P*)] und [Ir(CO)(PPh$_3$)(2-Ph$_2$PC$_6$H$_4$NH-κ*N*,κ*P*)], 19
Rhodium(I) complexes
Chiral rhodium(I)–(polyether-phosphite) complexes for the enantioselective hydroformylation of styrene: homogeneous and thermoregulated phase-transfer catalysis, 37

Single-source precursors
Structural characterization of a dimeric dimethylindium azide and its use as a single-source precursor for InN thin films, 128
Stannyl-cobalt complex
The reaction of triphenylstannylcobaloxime with enynes under photochemical and thermal conditions, 89
Styrene
Chiral rhodium(I)–(polyether-phosphite) complexes for the enantioselective hydroformylation of styrene: homogeneous and thermoregulated phase-transfer catalysis, 37
Synthesis
CFC replacement HCFC-133a ($CF_3CH_2Cl$) as a convenient precursor for the synthesis of chlorodifluorovinyl-metal derivatives of main group and transition metal elements: the first X-ray structural characterisation of chlorodifluorovinyl-containing organometallic complexes, 96

Tandem cyclization
The reaction of triphenylstannylcobaloxime with enynes under photochemical and thermal conditions, 89
TCNE
Synthesis and oxidation of chiral rhenium phosphine methyl complexes of the formula (η$^5$-C$_5$Me$_5$)Re(NO)(PR$_3$)(CH$_3$): in search of radical cations with enhanced kinetic stabilities, 44
Thermoregulated phase-transfer catalysis
Chiral rhodium(I)–(polyether-phosphite) complexes for the enantioselective hydroformylation of styrene: homogeneous and thermoregulated phase-transfer catalysis, 37
Triosmium
Reactivity of [(μ-H)Os$_3$(CO)$_8${Ph$_2$PCH$_2$P(Ph)C$_6$H$_4$}] with organic heterothiols; X-ray structures of [H(μ-H)Os$_3$(CO)$_8$(η$^2$-pyS){Ph$_2$PCH$_2$P(Ph)C$_6$H$_4$}] and [Os$_3$(CO)$_8$(μ-η$^2$-pyS){Ph$_2$-PCH$_2$P(Ph)C$_6$H$_4$}], 157
2,3,5-Triphenylfulvene
Cyclotrimerization of phenylethynes to fulvene: reactivity of *cis*-dichloro(1,1′-bis(diphenylphosphino)ferrocene) palladium(II), 67
Triphenylstannyl-acetylide
The reaction of triphenylstannylcobaloxime with enynes under photochemical and thermal conditions, 89
Triphenylstannyl radical
The reaction of triphenylstannylcobaloxime with enynes under photochemical and thermal conditions, 89
Tungsten
Syntheses, spectroscopic characterization and electrochemical properties of organometallic crown ethers containing tetrahedral W$_2$Fe(μ$_3$-S) cluster cores [W$_2$Fe(μ$_3$-S)(CO)$_7$][η$^5$-C$_5$H$_4$CH$_2$(CH$_2$OCH$_2$)$_n$CH$_2$C$_5$H$_4$-η$^5$] ($n$ = 1–3). Crystal structures of [W$_2$Fe(μ$_3$-S)(CO)$_7$][η$^5$-C$_5$H$_4$CH$_2$(CH$_2$O-CH$_2$)$_n$CH$_2$C$_5$H$_4$-η$^5$] ($n$ = 2,3), 140
Two-phase hydroformylation
Chiral rhodium(I)–(polyether-phosphite) complexes for the enantioselective hydroformylation of styrene: homogeneous and thermoregulated phase-transfer catalysis, 37

Water-soluble phosphite
Chiral rhodium(I)–(polyether-phosphite) complexes for the enantioselective hydroformylation of styrene: homogeneous and thermoregulated phase-transfer catalysis, 37

X-ray
Synthetic, structural, and dynamic NMR studies of (bisphosphine)palladium(0) complexes of dibenzylideneacetone, 10
X-ray crystal analysis
Syntheses and crystal structures of ferrocene substituted indenyl complexes, 29
X-ray diffraction
CFC replacement HCFC-133a ($CF_3CH_2Cl$) as a convenient precursor for the synthesis of chlorodifluorovinyl-metal

derivatives of main group and transition metal elements: the first X-ray structural characterisation of chlorodifluorovinyl-containing organometallic complexes, 96

X-ray structure analysis

Funktionelle Phosphane: Part X. Die homogene Hydrierung von Ketonen und α,β-ungesättigten Carbonylverbindungen mit 2-(diphenylpho = sphanyl)anilido-Komplexen des Iridiums und Rhodiums als Katalysatoren. Molekülstrukturen von [Rh(PPh$_3$)$_2$(2-Ph$_2$PC$_6$H$_4$NH-κ*N*,κ*P*)] und [Ir(CO)(PPh$_3$)(2-Ph$_2$PC$_6$H$_4$NH-κ*N*,κ*P*)], 19

X-ray study

Synthesis, crystal and molecular structure of [{C$_5$Me$_5$Fe-C$_5$Me$_4$CH$_2$}$^+$B{C$_6$H$_3$(CF$_3$)$_2$}$_4^-$], the first example of a structurally characterized primary ferrocenylcarbocation, 106

Zirconium

Zirconium bis-indenyl compounds. Synthesis and X-ray crystallography study of 1- and 2-substituted bis(R-indenyl)zirconium dichloride metallocenes, 112